


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)
Search: [The ACM Digital Library](#) [The Guide](#)

graphical node property configur*


 Searching within **The ACM Digital Library** for: graphical node property configur* ([start a new search](#))

Found 163 of 254,384

REFINE YOUR SEARCH▼ **Refine by Keywords**

graphical node prop

Discovered Terms

▼ **Refine by People**
 Names
 Institutions
 Authors
 Reviewers
▼ **Refine by Publications**
 Publication Year
 Publication Names
 ACM Publications
 All Publications
 Content Formats
 Publishers
▼ **Refine by Conferences**
 Sponsors
 Events
 Proceeding Series
ADVANCED SEARCH [Advanced Search](#)**FEEDBACK**
[Please provide us with feedback](#)

Found 163 of 254,384

[Search Results](#)
[Related Conferences](#)
[Related Journals](#)[Related Magazines](#)[Related SI](#)

Results 1 - 20 of 163

Sort by [relevance](#) in [ex](#) [Save results to a Binder](#)Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#)**1** [Practical safety in flexible access control models](#)

Trent Jaeger, Jonathon E. Tidswell

May 2001 **Transactions on Information and System Security (TISSEC)****Publisher:** ACM [Request Permissions](#)Full text available: [Pdf](#) (346.47 KB) **Additional Information:** [full citation](#), [abstract](#), [reference terms](#)**Bibliometrics:** Downloads (6 Weeks): 12, Downloads (12 Months): 129, Citations

Assurance that an access control configuration will not result in the leak of an unauthorized principal, called *safety*, is fundamental to ensuring that of access control policies can be enforced. It has been proven ...

Keywords: Access control models, authorization mechanisms, role-based control

2 [Fast detection of communication patterns in distributed executions](#)

Thomas Kunz, Michiel F. H. Seuren

November 1997 **CASCON '97: Proceedings of the 1997 conference of the C Advanced Studies on Collaborative research****Publisher:** IBM PressFull text available: [Pdf](#) (4.21 MB) **Additional Information:** [full citation](#), [abstract](#), [reference terms](#)**Bibliometrics:** Downloads (6 Weeks): 22, Downloads (12 Months): 386, Citations

Understanding distributed applications is a tedious and difficult task. Vis based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an ev

3 [Towards a resource management and service employment framework](#)

Christos Chrysoulas, Evangelos Haleplidis, Giorgos Kostopoulos, Robert H. Koufopavlou

August 2008 **International Journal of Network Management**, Volume 18**Publisher:** John Wiley & Sons, Inc.Full text available: [Pdf](#) (1.10 MB) **Additional Information:** [full citation](#), [abstract](#), [reference terms](#)**Bibliometrics:** Downloads (6 Weeks): 1, Downloads (12 Months): 16, Citations

Owing to the increase in both heterogeneity and complexity in today's r

systems, the need arises for new network-based services architectures. provide flexibility and efficiency in the definition, deployment and execu services ...

4 [Programming languages and systems for prototyping concurrent app](#)
 Wilhelm Hasselbring



March 2000 **Computing Surveys (CSUR)** , Volume 32 Issue 1

Publisher: ACM [Request Permissions](#)

Full text available: [Pdf](#) (559.78 KB) **Additional Information:** [full citation](#), [abstract](#), [referen](#)
[terms](#), [review](#)

Bibliometrics: Downloads (6 Weeks): 27, Downloads (12 Months): 249, Citati

Concurrent programming is conceptually harder to undertake and to un sequential programming, because a programmer has to manage the co coordination of multiple concurrent activities. To alleviate this task seve

Keywords: concurrency, distribution, parallelism, rapid prototyping, ve languages

5 [Effect of vertical handovers on performance of TCP-friendly rate con](#)



Andrei Gurtov, Jouni Korhonen

July 2004 **SIGMOBILE Mobile Computing and Communications Review**
 3

Publisher: ACM

Full text available: [Pdf](#) (440.19 KB) **Additional Information:** [full citation](#), [abstract](#), [referen](#)

Bibliometrics: Downloads (6 Weeks): 1, Downloads (12 Months): 77, Citation

An intersystem or vertical handover is a key enabling mechanism for ne of mobile communication systems. A vertical handover can cause an ab up to two orders of magnitude in link bandwidth and latency. It is hard end ...

6 [Version models for software configuration management](#)



Reidar Conradi, Bernhard Westfechtel

June 1998 **Computing Surveys (CSUR)** , Volume 30 Issue 2

Publisher: ACM [Request Permissions](#)

Full text available: [Pdf](#) (483.54 KB) **Additional Information:** [full citation](#), [abstract](#), [referen](#)
[terms](#)

Bibliometrics: Downloads (6 Weeks): 67, Downloads (12 Months): 708, Citati

After more than 20 years of research and practice in software configura management (SCM), constructing consistent configurations of versioned products still remains a challenge. This article focuses on the version m both ...

Keywords: changes, configuration rules, configurations, revisions, vari

7 [Advanced drawing tools aid network planning](#)

Nathan J. Muller

November 1997 **International Journal of Network Management** , Volume


Publisher: John Wiley & Sons, Inc.

Full text available:  Pdf (849.87 KB) Additional Information: [full citation](#), [abstract](#), [index](#)

Bibliometrics: Downloads (6 Weeks): 0, Downloads (12 Months): 9, Citation C

Network administrators can facilitate managing large, complex network diagramming solutions. This article describes and discusses a variety of available to aid the design process. © 1997 John Wiley & Sons, Ltd.

8 [NETRA:: seeing through access control](#)

 Prasad Naldurg, Stefan Schwoon, Sriram Rajamani, John Lambert
November 2006 **FMSE '06**: Proceedings of the fourth ACM workshop on Formal security

Publisher: ACM


Full text available:  Pdf (357.34 KB) Additional Information: [full citation](#), [abstract](#), [reference](#)

Bibliometrics: Downloads (6 Weeks): 3, Downloads (12 Months): 39, Citation

We present netra, a tool for systematically analyzing and detecting exploit flow vulnerabilities in access-control configurations. Our tool takes a snapshot of access-control metadata, and performs static analysis on this snapshot.

Keywords: privilege escalation, static analysis, vulnerability reports

9 [Configurable applications for satellite graphics](#)

 Griffith Hamlin, Jr.
August 1976 **SIGGRAPH '76**: Proceedings of the 3rd annual conference on graphics and interactive techniques

Publisher: ACM 

Full text available:  Pdf (117.15 KB) Additional Information: [full citation](#), [abstract](#), [reference](#)


Bibliometrics: Downloads (6 Weeks): 2, Downloads (12 Months): 13, Citation

This paper advocates a configurable approach to software for satellite graphics. The division of labor between the host and satellite computers can be easily changed after an application program has been written. A software system, CAGI (Configurable Graphics Interface), is described.

Also published in:

August 1976 **SIGGRAPH Computer Graphics** Volume 10 Issue 2

10 [Advanced and versatile real-time emulation platform for heterogeneous access systems](#)

 Francisco Bernardo, Anna Umbert, Miguel López-Benitez, Nemanja Vučević
October 2008 **PM2HW2N '08**: Proceedings of the 3rd ACM workshop on Performance monitoring and measurement of heterogeneous wireless and

Publisher: ACM 

Full text available:  Pdf (2.92 MB) Additional Information: [full citation](#), [abstract](#), [reference](#)


Bibliometrics: Downloads (6 Weeks): 1, Downloads (12 Months): 34, Citation

This paper is aimed at showing the capabilities of the real-time testbed for 3G heterogeneous wireless networks that has been developed in the framework of the project.

European IST ARO-MA project. The main objective of the AROMA testbed is to provide ...

Keywords: All-IP, beyond 3G, heterogeneous wireless networks, real-time

11 Using spreadsheets for finite state modelling

 Sujit Kumar Chakrabarti, Srihari Sukumaran

February 2009 **ISEC '09**: Proceeding of the 2nd annual conference on India engineering conference

Publisher: ACM  [Request Permissions](#)


Full text available:  Pdf (243.15 KB) Additional Information: [full citation](#), [abstract](#), [reference](#)

Bibliometrics: Downloads (6 Weeks): 4, Downloads (12 Months): 19, Citation

State based modelling is a widely used practice in the software industry methods of building state based models: either using graphical modelling formal languages like SMV or SAL. The former method often suffers from

Keywords: finite state machines, sal, spreadsheets

12 Trust: a trust negotiation-based authorization service for open systems

 Adam J. Lee, Marianne Winslett, Jim Basney, Von Welch

June 2006 **SACMAT '06**: Proceedings of the eleventh ACM symposium on A models and technologies

Publisher: ACM  [Request Permissions](#)

Full text available:  Pdf (222.72 KB) Additional Information: [full citation](#), [abstract](#), [reference](#)

Bibliometrics: Downloads (6 Weeks): 7, Downloads (12 Months): 84, Citation

In recent years, trust negotiation (TN) has been proposed as a novel access solution for use in open system environments in which resources are shared across organizational boundaries. Researchers have shown that TN is indeed a solution ...

Keywords: attribute-based access control, credentials, trust negotiation

13 Management of international networks

Floris van den Broek, Maarten Looijen

September 1997 **International Journal of Network Management**, Volume


Publisher: John Wiley & Sons, Inc.

Full text available:  Pdf (188.10 KB) Additional Information: [full citation](#), [abstract](#), [reference](#)

Bibliometrics: Downloads (6 Weeks): 0, Downloads (12 Months): 8, Citation

This article outlines particularities which must be addressed when building and maintaining international networks. © 1997 John Wiley & Sons, Ltd

14 Likelihood ratio gradient estimation for stochastic systems

 Peter W. Glynn

October 1990 **Communications of the ACM**, Volume 33 Issue 10


Publisher: ACM  [Request Permissions](#)

Full text available:  Pdf (1.55 MB) Additional Information: [full citation](#), [abstract](#), [reference terms](#), [review](#)

Bibliometrics: Downloads (6 Weeks): 7, Downloads (12 Months): 61, Citation


Consider a computer system having a CPU that feeds jobs to two input/devices having different speeds. Let θ be the fraction of jobs routed to the first device, so that $1 - \theta$ is the fraction routed to the second. Suppose

15 Parallel discrete event simulation

 Richard M. Fujimoto

October 1990 **Communications of the ACM**, Volume 33 Issue 10


Publisher: ACM 

Full text available:  Pdf (7.32 MB) Additional Information: [full citation](#), [abstract](#), [reference terms](#), [review](#)

Bibliometrics: Downloads (6 Weeks): 47, Downloads (12 Months): 464, Citation


Parallel discrete event simulation (PDES), sometimes called distributed refers to the execution of a single discrete event simulation program on computer. PDES has attracted a considerable amount of interest in recent years. From ...

16 Expert simulation for on-line scheduling

 Sanjay Jain, Karon Barber, David Osterfeld

October 1990 **Communications of the ACM**, Volume 33 Issue 10


Publisher: ACM 

Full text available:  Pdf (1.87 MB) Additional Information: [full citation](#), [abstract](#), [reference terms](#), [review](#)

Bibliometrics: Downloads (6 Weeks): 1, Downloads (12 Months): 50, Citation


The state-of-the-art in manufacturing has moved toward flexibility, automation, and integration. The efforts spent on bringing computer-integrated manufacturing plant floors have been motivated by the overall thrust to increase the size and

17 Simulation of a semiconductor manufacturing line

 David J. Miller

October 1990 **Communications of the ACM**, Volume 33 Issue 10


Publisher: ACM 

Full text available:  Pdf (3.99 MB) Additional Information: [full citation](#), [abstract](#), [reference terms](#), [review](#)

Bibliometrics: Downloads (6 Weeks): 4, Downloads (12 Months): 57, Citation

Product turnaround time (TAT) is defined as the clock or elapsed time from wafer release to completed wafer fabrication. It is also known as cycle time, n time, or manufacturing lead time. Turnaround time is arguably more important in semiconductor manufacturing ...

18 NEST: a network simulation and prototyping testbed

 Alexander Dupuy, Jed Schwartz, Yechiam Yemini, David Bacon

October 1990 **Communications of the ACM**, Volume 33 Issue 10

Publisher: ACM 

Full text available:  Pdf (5.94 MB) Additional Information: [full citation](#), [abstract](#), [reference terms](#), [review](#)

[terms, review](#)**Bibliometrics:** Downloads (6 Weeks): 2, Downloads (12 Months): 64, Citation

The Network Simulation Testbed (NEST) is a graphical environment for rapid-prototyping of distributed networked systems and protocols. Designing distributed networked systems require the ability to study the systems under ...

19 [Random numbers for simulation](#)

Pierre L'Ecuier

October 1990 **Communications of the ACM**, Volume 33 Issue 10**Publisher:** ACM [Request Permissions](#)Full text available: [PDF \(2.82 MB\)](#) **Additional Information:** [full citation](#), [abstract](#), [reference](#), [terms, review](#)**Bibliometrics:** Downloads (6 Weeks): 19, Downloads (12 Months): 180, Citation

In the mind of the average computer user, the problem of generating uniform random numbers by computer has been solved long ago. After all, every computer system has some function(s) to do so. Many software products, like compilers, spread

20 [On adaptable middleware product lines](#)

Wasif Gilani, Nabeel Hasan Naqvi, Olaf Spinczyk

October 2004 **ARM '04: Proceedings of the 3rd workshop on Adaptive and Reconfigurable Middleware****Publisher:** ACMFull text available: [PDF \(386.79 KB\)](#) **Additional Information:** [full citation](#), [abstract](#), [reference](#)**Bibliometrics:** Downloads (6 Weeks): 5, Downloads (12 Months): 53, Citation

Middleware helps to manage the complexity and heterogeneity inherent in distributed systems. Traditional middleware has a monolithic architecture, which makes it difficult to adapt to special requirements such as those present in embedded applications.

Keywords: adaptable middleware, aspect-oriented programming, dynamic reconfiguration, dynamic weaving, middleware product lines

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2009 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)